



Scientia Agropecuaria

Web page: <http://revistas.unitru.edu.pe/index.php/scientiaagrop>Facultad de Ciencias
AgropecuariasUniversidad Nacional de
Trujillo

RESEARCH ARTICLE

Optimization of processing parameters for the microencapsulation of soursop (*Annona muricata* L.) leaves extract: Morphology, physicochemical and antioxidant properties

Oscar Jordán-Suárez^{1,*} ; Patricia Glorio-Paulet² ; Leslie Vidal³ ¹ Universidad Le Cordon Bleu, Facultad de Ciencias de los Alimentos. Av. Salaverry 3180, Lima. Peru.² Universidad Nacional Agraria La Molina, Facultad de Industrias Alimentarias, Departamento de Ingeniería de Alimentos y Productos Agropecuarios. Instituto de Investigación de Bioquímica y Biología Molecular (IIBBM). Av. La Molina s/n, Lima. Peru.³ Universidad de Concepción, Facultad de Ingeniería Agrícola, Departamento de Agroindustrias. Vicente Méndez 595, Chillán. Chile.* Corresponding author: oscar.jordan@ulcb.edu.pe (O. Jordán-Suárez).

Received: 8 October 2020. Accepted: 31 March 2021. Published: 28 April 2021.

Abstract

Soursop leaves contain bioactive compounds which degrade after being separated from their native matrix. In order to protect their functionality, encapsulation can be applied. This investigation aimed to optimize the parameters for microencapsulating a hydroethanolic extract of soursop leaves after selecting a technique among freeze (FDM) and spray drying (SDM). Selection was performed through a factorial design (2³) including as factors: the technique (FDM and SDM), the encapsulant (Gum Arabic and maltodextrin) and its concentration (5% and 10%), for maximizing encapsulation efficiency (EE). Spray drying microencapsulation with maltodextrin at 10% showed the highest EE. Subsequently, the drying temperature and the feeding rate were optimized through a multilevel factorial design to minimize moisture and to maximize the powder solubility and the EE. A significant effect on the response variables ($p < 0.05$) was found, resulting in 140 °C and 7 mL/min as optimum parameters. Optimized treatment powder was characterized in terms of microstructure (spherical particles with a random size and irregular surfaces), annonacin content via HPTLC (0.904 ± 0.054 mg/g), color ($L^* 66.89 \pm 0.67$, $a^* 0.06 \pm 0.56$ and $b^* 6.01 \pm 0.20$) and antioxidant capacity (17.88 ± 0.86 and 90.59 ± 1.19 μ mol ET/g, by DPPH and ABTS assays). Proposed SDM conditions could be taken into account for preserving bioactive compounds from soursop leaves.

Keywords: annonacin; bioactive compounds; freeze drying; microencapsulation; spray drying.DOI: <https://dx.doi.org/10.17268/sci.agropecu.2021.018>

Cite this article:

Jordán-Suárez, O. Glorio-Paulet, P., & Vidal, L. (2021). Optimization of processing parameters for the microencapsulation of soursop (*Annona muricata* L.) leaves extract: Morphology, physicochemical and antioxidant properties. *Scientia Agropecuaria*, 12(2), 161-168.

1. Introduction

Soursop leaves possess natural occurring compounds like acetogenins, phenolics and alkaloids to which a variety of therapeutic properties are attributed. To take advantage of their benefits they must be extracted from the plant tissue. However, the extraction implies a subsequent protection of the extracted compounds due to their sensibility when exposed to conditions that differ from the original matrix (Garavand et al., 2019).

Microencapsulation is a technique used for preserving extracted active principles by forming packages at micro scale. This technology protects the metabolites of interest through their entrapment inside a coating material that prevents direct exposure to factors such as light, oxygen and humidity (Saikia et al., 2015).

Among the variety of techniques used for bioactive compounds microencapsulation, spray drying and freeze drying stand out from others due to their technological versatility (Ogrodowska et al., 2017). During spray drying microencapsulation (SDM), the solvent present in a drop previously generated by a nozzle is instantaneously evaporated, this technique is widespread due to its low cost and practicality. Meanwhile, freeze drying microencapsulation (FDM) involves the sublimation of the solvent, which is achieved at freezing temperatures and low pressure (Nickerson et al., 2014). This is suitable for thermosensitive compounds; but needs a longer process and higher operative costs.

Technological parameters related to the microencapsulation technique employed, determine the physicochemical

and morphological characteristics of the resulting particles, among which are moisture, morphology, solubility, encapsulation efficiency and permeability (Li et al., 2019). These characteristics are crucial for maintaining the properties of the active principle through time. Jamdar et al. (2021) compared SDM and FDM for enzymes from aqueous wheat germ extracts, using mixtures of maltodextrin and whey protein as encapsulants, founding that SDM allowed higher values for moisture, solubility, encapsulation efficiency, enzyme and DPPH free radical scavenging activity. However, for curcumin encapsulates (Guo et al., 2020), as well as for polyphenols from "Japanese quince" juice (Turkiewicz et al., 2020), it has been reported higher encapsulation efficiency for FDM in comparison with SDM. Both, SDM and FDM techniques are used for encapsulating polyphenols since they not only offer protection from physical factors but from degradation during gastrointestinal digestion, which increases bioavailability and bioaccessibility (Annunziata et al., 2020). Extraction phases have been studied for soursop leaves by Vit et al. (2014) obtaining higher rates of antioxidant capacity for ethanolic extracts. The authors stressed the need for further studies for their stabilization. Earlier research enabled to microencapsulate hydroalcoholic extracts and obtain spherical particles of irregular surface using SDM and maltodextrin as encapsulant (Jordán-Suárez et al., 2018), but no study of optimization has been performed. Also, it is unknown if annonacin (one of the main bioactive metabolites) was preserved after microencapsulation.

The aim of this investigation was to optimize the parameters for microencapsulating a hydroethanolic extract of soursop leaves after selecting a drying technology among spray and freeze drying.

2. Materials and methods

2.1 Materials and reagents

Soursop leaves obtained from a farm located in Pisco (Ica, Peru) were dehydrated up to 12% moisture for 10 days at environmental temperatures (without sunlight exposure) followed by oven drying until 10% moisture and mechanical grinding (Thomas Scientific 3383-L30). The species was previously authenticated by the herbarium Augusto Weberbauer of the National Agrarian La Molina University. As encapsulating agents, gum Arabic (Nexira food) and maltodextrin of DE: 10 - 12 (Frutarom) were used. The main analytical reagents were ethanol 99.9%, acetic acid, Folin-Ciocalteu, sodium carbonate and methanol 99.9%, from Merck (Germany). Gallic acid, ABTS, Trolox and DPPH from Sigma-Aldrich (USA), and annonacin 94% (JMC, USA).

2.2 Foliar extract preparation

Powdered dry leaves (g) were macerated in a hydroalcoholic solution (mL) (1:36) for 30 min at 70 °C. The mixture was then cooled to 30 °C and was filtered through a nylon fiber. The recovered liquid was centrifuged at 4000 rpm (Neofuge 18R, Heal Force) for 30 min at 18 °C and the supernatant was collected for further procedures.

2.3 Microencapsulation technique selection

To choose a microencapsulation technique, a factorial design (2³) to maximize encapsulation efficiency (EE) was

assembled including as factors: Microencapsulation technique (SDM or FDM), type of encapsulant (MD or GA), and encapsulant concentration (5% and 10%, w/w). Mixtures according to the previous design were gradually homogenized (OV5, Velp Scientific) at 10000 and 14000 rpm for 5 min.

The mixtures for FDM were frozen at - 80 °C for 24 h and then the solvent was sublimated in a benchtop lyophilizer (VirTis SentryTM, SP Industries) at - 60 °C and 100 mTorr of vacuum pressure for 96 h. Then, the powder was homogenized using a mortar and pestle (Saikia et al., 2015). For SDM, the mixtures were fed into a spray dryer (SD-Basic, LabPlant) at 10 mL/min, using a nozzle of 1 mm diameter and chamber at 140 °C. All treatments were hermetically kept in dark glass flasks for their later characterization of morphology and encapsulation efficiency (EE).

2.4 Optimization of the selected technique

After selecting SDM, the temperature of the drying chamber (130, 140 and 150 °C) and feeding rate (7 and 12.5 mL/min) were optimized using a multilevel factorial design to minimize moisture and to maximize solubility and encapsulation efficiency. This experiment was performed at standard conditions for nozzle diameter (1 mm) and 10% of MD, parameters that were determined in the previous stage. The encapsulate obtained was characterized in terms of solubility, moisture, antioxidant capacity, morphology, color, percentage of defective particles and annonacin content.

2.5 Methods for characterization of encapsulates

Morphology by scanning electron microscopy (SEM)

Samples from SDM were put on the upper surface of metallic stubs covered with a double-sided tape followed by vacuum immobilization with a gold bath (S150, Edwards). Photographs were taken using a microscope JSM-6380LV, JEOL. The samples from FDM were directly analyzed using a SEM-EDS microscope (Quanta 200, FEI). Microphotographs were taken with a magnification from 1000 to 6000x.

Encapsulation efficiency (EE)

Encapsulation efficiency of phenolic compounds was calculated using the equation (1) as described by Saikia et al. (2015):

$$EE (\%) = \left(\frac{CPC - SPC}{CPC} \right) \times 100 \quad (1)$$

Where, CPC and SPC correspond to the phenolic content inside and on the surface of the encapsulates, respectively. Both, CPC and SPC were determined according to Jordán-Suárez et al. (2018).

Physicochemical analysis: Moisture, solubility and color

Water content in microencapsulated extracts (3 ± 0.2 g) was determined using an infrared moisture analyzer (Li et al., 2019). Solubility was calculated according to Jordán-Suárez et al. (2018). The color of the liquid extract (without encapsulant) and the resulting encapsulate at optimized conditions was determined as described by Dewi et al. (2017) using the CIELAB scale.

Antioxidant capacity (DPPH and ABTS)

The encapsulates from FDM (25 mg) and SDM (50 mg) were mixed with 1 mL of methanol (80%). Samples were orbitally shaken (200 rpm) for 6 h at room temperature. Then, they were centrifuged at 9000 rpm for 15 min and the supernatant was collected to be analyzed.

The DPPH assay was performed according to [Jing et al. \(2015\)](#), with some modifications. The supernatant (100 μ L) was mixed with 500 μ L of DPPH solution (0.4 mg/mL), then 700 μ L of a methanolic solution (80%) was added. This mixture was vortexed for 15 s at 1200 rpm. After 30 min of reaction in the absence of light, the absorbance of 130 μ L was read in a microplate reader at 517 nm. Antioxidant capacity was calculated from a standard curve made at Trolox concentrations ranging from 0.01 to 0.12 μ Mol/mL. The ABTS assay was done as described by [Thaipong et al. \(2006\)](#), with some modifications. The stock solution was prepared mixing equal volumes of ABTS (7.4 mM) and $K_2S_2O_8$ (2.6 mM), followed by incubation in the dark for 12 h at room temperature. Later, the solution was diluted with methanol (80%) to adjust the absorbance at 1.1 ± 0.02 . A volume of the supernatant (150 μ L) was mixed with 1350 μ L of the ABTS diluted solution. Then it was vortexed for 10 s at 1200 rpm; after 6 min of reaction in absence of light, absorbance of 150 μ L aliquots was read at 734 nm (PowerWave XS2, Biotek), using methanol as a control. Antioxidant capacity was calculated from a standard curve of Trolox ($0.1 - 0.7 \mu$ Mol/mL).

Percentage of defective particles

Particles showing fragmentation, ballooning and folding in half were considered as defective due to their implications on the core preservation and powder technological properties. Defective particles were counted from SEM photos at 3000x using ImageJ™ and were expressed as percentage. This assay was adapted from [Paramita et al. \(2010\)](#).

Annonacin content

This analysis was performed for dry leaves and for the encapsulate at optimum conditions. Quantification was carried out using a standard curve elaborated from a methanolic solution of annonacin (0.9 mg/mL). Increasing volumes of the standard (2 to 15 μ L) were automatically applied (Linomat V, CAMAG) onto an HPTLC plate at 150 nL/s with a band length of 6 mm and 14 mm between tracks. The development of the plate was carried out at $25 \pm 2^\circ\text{C}$ and 40% of relative humidity in a double channel chamber (20 \times 10 cm) up to 7 cm, using a mixture of chloroform/cyclohexane/diethylamine (5:2.5:2.5 v/v) as saturation solvent and mobile phase. Subsequently, the plates were dried and scanned at 210 nm (TLC scanner IV, CAMAG) operating in reflectance-absorbance mode. The slit dimension was kept at 5 \times 0.45 mm with a scanning speed of 20 mm s⁻¹. Data was analyzed using the WinCATS (V1.2.1) software.

The extract for quantifying annonacin in leaves was prepared as described by [Bonneau et al. \(2017\)](#), with some modifications. Grinded dry leaves were successively macerated (3 times) with CH_2Cl_2 (10% m/v) in falcon tubes for 3 h at 200 rpm. After extraction the tubes were centrifuged for 15 min at 4000 rpm. Then, the supernatant

was filtered using 0.45 μ m syringe filters. The collected liquid was concentrated to dryness at low pressure and moderate temperature (45°C). The dry extract was reconstituted with methanol (2 mL) and sonicated for 5 min.

For quantifying annonacin in encapsulates, 300 mg of the powder was mixed with 1 mL of ethanol, acetic acid and distilled water (50:8:42). The mixture was shaken for 15 min at 200 rpm (MRC™, model TOS-4030FD), followed by filtration (0.45 μ m). The samples (4 μ L) were then seeded onto an HPTLC plate using the conditions previously described. The annonacin concentration (mg/g powder) was calculated from the standard curve constructed using the area under the curve of peaks that were revealed using the scanner IV (CAMAG™) for each standard concentration in the plates.

2.6 Statistical analysis

Data were collected in triplicate and expressed as the average \pm S.D. through Microsoft Excel. For determining the optimum parameters of SDM, the software STATGRAPHICS Centurion (free trial) was used following a multilevel factorial design.

3. Results and discussion

3.1 Selection of the microencapsulation technique

Morphological analysis

SEM images showed remarkable differences in morphological features among spray dried and freeze dried encapsulates ([Figure 1](#)). Microparticles originated by SDM exhibited a spherical shape of heterogeneous size which is characteristic of this technique ([Li et al., 2015](#)). Furthermore, this behavior is dependent on the encapsulant type and concentration ([Ramírez et al., 2015](#)). Treatments from SDM using MD showed a similar morphology to those made of GA ([Figure 1](#)). Likewise, increasing the encapsulant concentration did not cause a reduction of shrinkage since there were corrugated particles at 10% in both cases. This contrasts with the fact that at higher encapsulant concentrations, the sphericity should be higher ([Li et al., 2015](#)). In a previous study ([Jordán-Suárez et al., 2018](#)), the sphericity of microparticles made using MD with higher DE (18 - 20) increased noticeably at 10 %. This behavior could indicate that the lower maltodextrin DE the higher concentration to achieve more spherical particles.

In contrast with SDM, the microstructure of freeze-dried encapsulates was different due to the carrier agent ([Figure 1](#)). Microparticles with GA exhibited a porous net-type structure, whereas particles with MD showed a glassy structure in the form of flakes. During FDM, the structural support offered by the water disappears after having been sublimated and the encapsulant emerge as a porous matrix ([Ezhilarasi et al., 2013](#)). As a result, it is obtained particles of heterogeneous size, which do not have an edged core, in which the extract, containing the bioactive compounds, is embedded in the matrix. According to [Che Man et al. \(1999\)](#), the flattened aspect of freeze-dried encapsulates originates due to the pressure and temperature conditions.




Figure 1. Micrographs taken at magnification level of 1000x showing the microstructure of soursop leaves extract microencapsulated through freeze (SEM-EDS) and spray drying (SEM). The scale for SMD (10 µm) and FDM (200 µm) are not equivalent due to the adjustment to fit into the figure.

Encapsulation efficiency of phenolic compounds

Significant differences in EE ($p < 0.05$) were found among both encapsulation techniques which favored spray drying (Table 1). When increasing the encapsulant concentration an increase in EE is observed for both encapsulants. This behavior is mainly attributed to a thickening of the polymeric structure which prevents degradation of phenolic compounds from factors such as temperature, humidity, oxygen, and light.

Table 1
Encapsulation efficiency in each treatment as effect of technique

Microencapsulation Technique	Encapsulant	Concentration (%)	Phenolic compounds E.E. (%)
Spray drying	Gum Arabic	5	58.90 ± 1.67 ^a
	Gum Arabic	10	66.12 ± 1.11 ^b
	Maltodextrin	5	70.57 ± 0.83 ^c
	Maltodextrin	10	74.90 ± 1.92 ^d
Freeze drying	Gum Arabic	5	15.04 ± 0.78 ^e
	Gum Arabic	10	25.37 ± 1.57 ^f
	Maltodextrin	5	40.75 ± 0.62 ^g
	Maltodextrin	10	64.08 ± 1.99 ^b

Different letters as superscript indicate significant difference between treatments (p -value < 0.05).

In relation to the type of encapsulant, the treatments with MD showed higher EE than the equivalents treatments using GA. The effect of the technique was demonstrated through differences that favor SDM over FDM for trapping phenolic compounds when comparing the best treatment of each technique (MD at 10%). This same behavior has been reported for anthocyanin microencapsulation (Zhang et al., 2020). Additionally, the disadvantage for FDM could be associated to the morphology of the particles, since the extract is not contained in a definite internal core. In this study, treatments from FDM showed EE values ranging from 15.04% to 64.08%. However, there are studies (Ezhilarasi et al., 2013) in which EE is higher than 90%. It is important to mention that EE depends on the

characteristics of the active principle, the type of encapsulant, as well as the affinity between them. Also, the variety of methodologies for calculating EE may hinder the comparison.

According to the analysis, SDM was the most efficient technique to encapsulate phenolic compounds with the combination of maltodextrin (DE: 10 - 12) at 10%. In order to improve the properties of microparticles, different levels of feeding rate and inlet temperature were studied later, considering the type and encapsulant concentration as constants.




Figure 2. Response surface of multiple effects analysis (A) and Contour plot (B). T and F represent the temperature and the feeding rate.

Table 2

Experimental values for optimizing spray drying microencapsulation (SDM)

Treatment	Factors		Variables		
	Inlet temperature (°C)	Feeding rate (mL/min)	Solubility (%)	Moisture (%)	Encapsulation efficiency (%)
SDM 1	130 (-1)	7.0 (-1)	93.22 ± 0.62 ^a	7.82 ± 0.28 ^{a,d}	78.76 ± 1.20 ^a
SDM 2	140 (0)	7.0 (-1)	94.56 ± 0.44 ^{b,c}	5.80 ± 0.70 ^{b,c}	77.68 ± 0.62 ^a
SDM 3	150 (+1)	7.0 (-1)	95.24 ± 0.79 ^c	5.50 ± 0.43 ^c	71.48 ± 1.01 ^b
SDM 4	130 (-1)	12.5 (+1)	91.50 ± 0.90 ^d	8.79 ± 0.60 ^d	82.73 ± 0.78 ^c
SDM 5	140 (0)	12.5 (+1)	92.64 ± 0.67 ^a	7.01 ± 0.81 ^{a,b}	81.35 ± 0.90 ^c
SDM 6	150 (+1)	12.5 (+1)	93.84 ± 0.96 ^b	6.80 ± 0.36 ^{a,b,c}	74.87 ± 0.75 ^d

Superscripts with different letters indicate statistical differences.

3.2 Spray drying optimization

The effect of combining temperature and feed rate at different levels on the moisture, solubility and EE of the encapsulates from SDM (06) are shown in **Table 2**. These response variables are normally used for SDM optimization (Rubiano et al., 2015).

A high EE indicates an optimum performance of the encapsulant (Chranioti & Tzia, 2014). Likewise, the obtention of low moisture powders avoids caking and increases the yield of the drying process (Figueroa et al., 2016). Elsewhere, if the destination of the powder includes the step of reconstitution in water, is desirable to maximize solubility.

Each response was analyzed ANOVA independently giving factorial models with R² over 0.8 with no significant ($p > 0.05$) lack of fit. For optimization purposes, the three response variables were simultaneously analyzed as function of Desirability (Figure 2A). The interaction of the three variables can be visualized on the contour plot (Figure 2B).

When the feeding rate increased there was an increase in moisture (Table 2). This occurs due to an incomplete solvent evaporation as a consequence of the relative quick speed the liquid is fed into the nozzle, which minimizes the time to lose moisture (Mezhericher et al. 2010). The abovementioned causes the particles to stick on the spray dryer chamber, causing the yield process to decrease (Figueroa et al., 2016). In general terms, encapsulation at 12.5 mL/min produced less soluble particles than those originated at 7 mL/min, which influences dispersion in water due to the formation of aggregates (Çam et al., 2014). However, particle agglomeration, as well as, high moisture, exerts a protective effect on phenolic compounds, resulting in a higher EE (Reineccius, 2004).

Furthermore, the temperature showed a significant effect on the three response variables ($p < 0.05$). Solubility increased with the rise of temperature, which has also been reported by Tran & Nguyen (2018). This result could be explained in terms of morphology, since the higher the temperature the lower the roughness. Therefore, the interaction with water is facilitated. By contrast, moisture decreased as temperature increased, and EE diminished simultaneously. This effect has also been described by Sun et al. (2020). The temperature level influences on thermosensitive compounds as well as on the microstructure. Although it is suggested to employ higher temperatures to reduce rough particles (Alamilla-Beltrán et al., 2005), this depends on the sensitivity of the active principle. In this investigation it was not convenient to

increase temperature since the phenolics are thermosensitive. According to Aliakbarian et al. (2018), temperatures between 132 – 160 °C are optimum for encapsulating polyphenols by SDM.

3.3 Characterization of the encapsulate at optimized conditions

Morphology of particles obtained by optimized SDM

Microstructural analysis revealed microparticles of spherical shape with heterogenous size and varying topography (rough and smooth) (Figure 3).




Figure 3. Color and microstructure of the microencapsulated extract at optimized spray-drying conditions. SEM photo taken at 6000x of magnification.

From a technological perspective, it is preferred that microparticles have a smooth surface since a high roughness represents a greater area of contact that allows interaction with oxygen putting at risk the interest compounds stability (Tolun et al., 2016); likewise, roughness causes flow property changes due to particle aggregation.

No defects such as cracks, fissures, or folding were found. Fragmented particles are undesirable since they lead to a poor protection of the core (Teodoro et al., 2014). Meanwhile, roughness was found in 68% of the particles. The heterogeneity in the powder microstructure suggests that although the processing conditions were optimized, further studies would be needed to obtain smoother particles. For instance, adding DE as a factor and sphericity as a response. It has been demonstrated that the usage of MD with different DE affects significantly the topography of the microparticles (Ezhilarasi et al., 2013), exhibiting a direct relation between sphericity and DE (Abd Ghani et al., 2017). In this experiment, the MD had a DE ranging from 10 to 12. In addition to the previous alternatives, indentations can be overcome by mixing encapsulants (Silva et al., 2013).

Color

The color of the optimum encapsulate is visualized in **Figure 3**. Remarkable differences were found for a^* and b^* as direct effect of encapsulation in comparison with the color of the fresh extract (L^* : 69.85 ± 0.27 ; a^* : 11.91 ± 0.09 ; b^* : 64.17 ± 0.03). Both a^* and b^* values indicate a trend to red and yellow tones, respectively. According to **Pelden & Meesawat (2019)**, yellowness is associated with the carotenoids present in the leaves. The color can be used as an indirect indicator of the encapsulation performance since freeze-dried encapsulates appeared more yellow due to a low EE. In contrast, powders from SDM were less yellow and looked whitish resembling MD. This same behavior has been reported by **Barbosa et al. (2015)**. In general, color depends on the intrinsic features of the extract to be encapsulated and on the techniques employed. Other factors such as drying conditions (i.e. temperature), the type of encapsulant and its concentration can remarkably affect color (**Suravanichnirachorn et al., 2018**).

Antioxidant capacity (DPPH and ABTS)

The antioxidant capacity of the extract microencapsulated at optimum spray drying conditions was 17.88 ± 0.86 and 90.59 ± 1.19 $\mu\text{mol TE/g}$, measured by DPPH and ABTS assays, respectively. Antioxidant capacity assessed by DPPH (4.48 ± 0.22 mg TE/g) was within the range of 2.69 to 8.52 mg TE/g reported for moringa leaves extract microencapsulated by the same technique using a variety of technological conditions (**Airouyuwa & Kaewmanee, 2019**). As a point of comparison, the antioxidant capacity (by DPPH) of the six treatments assessed during the optimization step ranged from 3.68 to 4.53 mg TE/g. According to **Tauchen et al. (2016)**, these values are catalogued as a weak to moderate level of antioxidant scavenging. **González-Ortega et al. (2020)** reported values ranging from 43.67 to 220.48 $\mu\text{mol TE/g}$ (by ABTS) for olive leaves extract encapsulated by FDM. Our results fall within the range reported in this last study.

The antioxidant scavenging of soursop leaves is mainly attributed to phenolic compounds (**George et al., 2015**), but it is also dependent on other phytochemicals extracted jointly due to the affinity with the solvent (**Roduan et al., 2019**). In microencapsulated extracts, the antioxidant scavenging depends on the capacity of these compounds to resist the stress caused by technical conditions until it becomes a powder. For spray-dried soursop pulp (at 135 °C with 30% of carrier), there have not been reported differences in comparison with the initial fresh pulp (**Leite et al., 2019**). However, for *Rosa rugosa* extract microencapsulated via spray drying at 170 °C using MD ($\approx 10\%$), the antioxidant capacity decreased regarding the original extract (**Yu & Lv, 2019**).

Annonacin content

According to HPTLC analysis, the content of Annonacin in the microencapsulated extract was 0.904 ± 0.054 mg/g. This concentration is lower than the dry leaves content (1.59 ± 0.04 mg/g) and represents a decrease due to technological stages that involve mass transfer of chemicals. The foliar content of Annonacin found in this study was higher than the value of 305.6 ± 28.3 $\mu\text{g/g}$

reported by **Machado de Moraes et al. (2016)**. Meanwhile, in terms of total acetogenins, the concentration obtained was under the range of 3.38 to 15.05 mg/g described by **Machado et al. (2014)**. It is important to mention that the HPLC chromatograph of the sole standard (data not shown) presented isomers. However, such detail could not be visualized using HPTLC. Additionally, the bands formed for annonacin quantification could be a result of a mixture of other acetogenins, so this analysis would be quantifying total acetogenins; a similar behavior has been reported by **Fernández et al. (2017)**.

The optimal conditions for the extract microencapsulation achieved to conserve phytochemicals originally present in the soursop leaves, to which a variety of bioactive properties are attributed. Although the extract was efficiently encapsulated into the matrix at the studied conditions, different parameters could be explored depending on the technological facilities and the final destination of the encapsulate.

4. Conclusions

Spray drying was selected for the microencapsulation of soursop leaves extract due to the higher encapsulation efficiency in comparison with freeze drying. The optimized parameters in terms of desirability were 140 °C for inlet temperature and 7 mL/min for feeding rate. Desirability was significantly influenced by solubility, EE and moisture of microparticles. Encapsulation efficiency and moisture decreased when temperature increased, but solubility increased. On the contrary, the higher the feeding rate, the higher encapsulation efficiency and moisture, but lower solubility. The optimized encapsulating process proved to be effective in the preservation of bioactive compounds originally present in the foliar extract which are recognized for therapeutic activities such as annonacin and phenolics.

Acknowledgments

Mr. Jordán-Suárez thanks the financial support given by the Ministry of Education of Peru (MINEDU) through the project 179-2015-FONDECYT-DE for doctoral studies in Food Sciences at UNALM. The authors acknowledge the facilities provided by the Center of Spectroscopy and Electron Microscopy (CESMI) of the University of Concepcion and the support provided by Dr. Gladys Ocharan for the SEM-EDS images analysis in Lima.

ORCID

O. Jordán-Suárez  <https://orcid.org/0000-0002-1280-7704>
P. Glorio-Paulet  <https://orcid.org/0000-0001-9236-8141>
L. Vidal  <https://orcid.org/0000-0002-0136-7221>

References

- Abd Ghani, A., Adachi, S., Shiga, H., Loon Neoh, T., Adachi, S., & Yoshii, H. (2017). Effect of different dextrose equivalents of maltodextrin on oxidation stability in encapsulated fish oil by spray drying. *Bioscience, Biotechnology and Biochemistry*, 81(4), 705–711.
- Airouyuwa, J. O., & Kaewmanee, T. (2019). Microencapsulation of Moringa oleifera leaf extracts with vegetable protein as wall materials. *Food Science and Technology International*, 25(6), 533–543.
- Alamilla-Beltrán, L., Chanona-Pérez, J. J., Jiménez-Aparicio, A. R., & Gutiérrez-López, G. F. (2005). Description of morphological changes of particles along spray drying. *Journal of Food Engineering*, 67(1–2), 179–184.
- Aliakbarian, B., Sampaio, F. C., de Faria, J. T., Pitangui, C. G., Lovaglio, F., Casazza, A. A., Converti, A., & Perego, P. (2018). Optimization of spray drying microencapsulation of olive pomace polyphenols using

- Response Surface Methodology and Artificial Neural Network. *Lwt*, 93, 220–228.
- Annunziata, G., Jiménez-García, M., Capó, X., Moranta, D., Arnone, A., Tenore, G. C., Sureda, A., & Tejada, S. (2020). Microencapsulation as a tool to counteract the typical low bioavailability of polyphenols in the management of diabetes. *Food and Chemical Toxicology*, 139, 111248.
- Barbosa, J., Borges, S., Amorim, M., Pereira, M. J., Oliveira, A., Pintado, M. E., & Teixeira, P. (2015). Comparison of spray drying, freeze drying and convective hot air drying for the production of a probiotic orange powder. *Journal of Functional Foods*, 17, 340–351.
- Bonneau, N., Baloul, I., Bajin ba Ndob, I., Sénéjoux, F., & Champy, P. (2017). The fruit of *Annona squamosa* L. as a source of environmental neurotoxins: From quantification of squamocin to annotation of Annonaceous acetogenins by LC–MS/MS analysis. *Food Chemistry*, 226, 32–40.
- Çam, M., İcyer, N. C., & Erdoğan, F. (2014). Pomegranate peel phenolics: Microencapsulation, storage stability and potential ingredient for functional food development. *LWT - Food Science and Technology*, 55(1), 117–123.
- Che Man, Y. B., Irwandi, J., & Abdullah, W. J. W. (1999). Effect of different types of maltodextrin and drying methods on physico-chemical and sensory properties of encapsulated durian flavour. *Journal of the Science of Food and Agriculture*, 79(8), 1075–1080.
- Chranioti, C., & Tzia, C. (2014). Arabic Gum Mixtures as Encapsulating Agents of Freeze-Dried Fennel Oleoresin Products. *Food and Bioprocess Technology*, 7(4), 1057–1065.
- Dewi, E. N., Purnamayati, L., & Kurniasih, R. A. (2017). Physical characteristics of phycocyanin from *Spirulina* microcapsules using different coating materials with freeze drying method. *Conference Series*, 55(1–7).
- Ezhilarasi, P. N., Indrani, D., Jena, B. S., & Anandharamakrishnan, C. (2013). Freeze drying technique for microencapsulation of *Garcinia* fruit extract and its effect on bread quality. *Journal of Food Engineering*, 117(4), 513–520.
- Fernández, A. E. L., Obledo-Vázquez, E. N., Vivar-Vera, M. de los A., Ayerdi, S. G. S., & Montalvo-González, E. (2017). Evaluation of emerging methods on the polyphenol content, antioxidant capacity and qualitative presence of acetogenins in soursoop pulp (*Annona muricata* L.). *Revista Brasileira de Fruticultura*, 39, 1–8.
- Figueroa, P. M., Ceballos, M. A., & Hurtado, A. M. (2016). Microencapsulación mediante secado por aspersión de aceite de mora (*Rubus glaucus*) extraído con CO₂ supercrítico. *Revista Colombiana de Química*, 45(2), 39–47.
- Garavand, F., Rahae, S., Vahedikia, N., & Jafari, S. M. (2019). Different techniques for extraction and micro/nanoencapsulation of saffron bioactive ingredients. *Trends in Food Science and Technology*, 89, 26–44.
- George, V. C., Kumar, D. R. N., Suresh, P. K., & Kumar, R. A. (2015). Antioxidant, DNA protective efficacy and HPLC analysis of *Annona muricata* (soursoop) extracts. *Journal of Food Science and Technology*, 52(4), 2328–2335.
- González-Ortega, R., Faieta, M., di Mattia, C. D., Valbonetti, L., & Pittia, P. (2020). Microencapsulation of olive leaf extract by freeze-drying: Effect of carrier composition on process efficiency and technological properties of the powders. *Journal of Food Engineering*, 285, 110089.
- Guo, J., Li, P., Kong, L., & Xu, B. (2020). Microencapsulation of curcumin by spray drying and freeze drying. *LWT - Food Science and Technology*, 132, 109892.
- Jamdar, F., Ali Mortazavi, S., Asl, M. R. S., & Sharifi, A. (2021). Physicochemical properties and enzymatic activity of wheat germ extract microencapsulated with spray and freeze drying. *Food Science and Nutrition*, 9(2), 1192–1201.
- Jing, L., Ma, H., Fan, P., Gao, R., & Jia, Z. (2015). Antioxidant potential, total phenolic and total flavonoid contents of *Rhododendron anthopogonoides* and its protective effect on hypoxia-induced injury in PC12 cells. *BMC Complementary and Alternative Medicine*, 15, 287.
- Jordán-Suárez, O., Glorio-Paulet, P., & Vidal, L. (2018). Microstructure of *Annona muricata* L. leaves extract microcapsules linked to physical and chemical characteristics. *Journal of Encapsulation and Adsorption Sciences*, 08(03), 178–193.
- Leite, M. T. S., de Jesus, M. S., da Silva, J. L. A., Araujo, H. C. S., Sandes, R. D. D., Shanmugam, S., & Narain, N. (2019). Effect of spray drying on bioactive and volatile compounds in soursoop (*Annona muricata*) fruit pulp. *Food Research International*, 124, 70–77.
- Li, J., Xiong, S., Wang, F., Regenstein, J. M., & Liu, R. (2015). Optimization of microencapsulation of fish oil with Gum Arabic/Casein/Beta-Cyclodextrin mixtures by spray drying. *Journal of Food Science*, 80(7), C1445–C1452.
- Li, X., Feng, Y., Ting, S., Jiang, J., & Liu, Y. (2019). Effect of processing conditions on the physicochemical properties and nutrients retention of spray-dried microcapsules using mixed protein system. *CYTA - Journal of Food*, 17(1), 25–35.
- Machado, A. R. T., Lage, G. A., da Silva Medeiros, F., de Souza Filho, J. D., & Pimenta, L. P. S. (2014). Total $\alpha\beta$ -Unsaturated- γ -Lactone Acetogenins in *Annona muricata* by Proton NMR Spectroscopy. *Applied Magnetic Resonance*, 46(2), 153–160.
- Machado de Moraes, I. V., Vasconcelos Ribeiro, P. R., Schmidt, F. L., Marques Canuto, K., Zocolo, G. J., Sousa de Brito, E., Luo, R., Richards, K. M., Tran, K., & Smith, R. E. (2016). UPLC–QTOF–MS and NMR analyses of graviola (*Annona muricata*) leaves. *Brazilian Journal of Pharmacognosy*, 26, 174–179.
- Mezhericher, M., Levy, A., & Borde, I. (2010). Spray drying modelling based on advanced droplet drying kinetics. *Chemical Engineering and Processing: Process Intensification*, 49(11), 1205–1213.
- Nickerson, M., Yan, C., Cloutier, S., & Zhang, W. (2014). Protection and Masking of Omega-3 and -6 Oils via Microencapsulation. In A. Gaonkar, N. Vasisht, A. R. Khare, & R. Sobel (Eds.), *Microencapsulation in the Food Industry* (pp. 485–500). Elsevier Inc.
- Ogrodowska, D., Tańska, M., & Brandt, W. (2017). The Influence of Drying Process Conditions on the Physical Properties, Bioactive Compounds and Stability of Encapsulated Pumpkin Seed Oil. *Food Bioprocess Technology*, 10, 1265–1280.
- Paramita, V., Iida, K., Yoshii, H., & Furuta, T. (2010). Effect of additives on the morphology of spray-dried powder. *Drying Technology*, 28(3), 323–329.
- Pelden, D., & Meesawat, U. (2019). Foliar idioblasts in different-aged leaves of a medicinal plant (*Annona muricata* L.). *Songklanakarin J. Sci. Technol.*, 41(2), 414–420.
- Ramírez, M. J., Giraldo, G. I., & Orrego, C. E. (2015). Modeling and stability of polyphenol in spray-dried and freeze-dried fruit encapsulates. *Powder Technology*, 277, 89–96.
- Reineccius, G. A. (2004). The spray drying of food flavors. *Drying Technology*, 22(6), 1289–1324.
- Roduan, M. R. M., Hamid, R. A., Kqueen, C. Y., & Mohtarrudin, N. (2019). Cytotoxicity, antitumor-promoting and antioxidant activities of *Annona muricata* in vitro. *Journal of Herbal Medicine*, 15, 100219.
- Rubiano, K. D., Cárdenas, J. A., & Ciro, H. J. (2015). Encapsulation of d-limonene flavors using spray drying: Effect of the addition of emulsifiers. *Ingeniería y Competitividad*, 17(2), 77–89.
- Saikia, S., Mahnot, N. K., & Mahanta, C. L. (2015). Optimisation of phenolic extraction from Averhoa carambola pomace by response surface methodology and its microencapsulation by spray and freeze drying. *Food Chemistry*, 171, 144–152.
- Silva, P. I., Stringheta, P. C., Teofilo, R. F., & De Oliveira, I. R. N. (2013). Parameter optimization for spray-drying microencapsulation of jaboticaba (*Myrciaria jaboticaba*) peel extracts using simultaneous analysis of responses. *Journal of Food Engineering*, 117(4), 538–544.
- Sun, X., Cameron, R. G., & Bai, J. (2020). Effect of spray-drying temperature on physicochemical, antioxidant and antimicrobial properties of pectin/sodium alginate microencapsulated carvacrol. *Food Hydrocolloids*, 100, 105420.
- Suravanichnirachorn, W., Haruthaithanasan, V., Suwonsichon, S., Sukatta, U., Maneebon, T., & Chantrapornchai, W. (2018). Effect of carrier type and concentration on the properties, anthocyanins and antioxidant activity of freeze-dried mao [*Antidesma bunius* (L.) Spreng] powders. *Agriculture and Natural Resources*, 52(4), 354–360.
- Tauchen, J., Bortl, L., Huml, L., Miskatova, P., Doskocil, I., Marsik, P., Villegas, P. P., Flores, Y. B., Van Damme, P., Lojka, B., Havlik, J., Lapcik, O., & Kokoska, L. (2016). Phenolic composition, antioxidant and anti-proliferative activities of edible and medicinal plants from the peruvian amazon. *Brazilian Journal of Pharmacognosy*, 26(6), 728–737.
- Teodoro, R. A. R., de Barros Fernandes, R. V., Botrel, D. A., Borges, S. V., & de Souza, A. U. (2014). Characterization of microencapsulated Rosemary essential oil and its antimicrobial effect on fresh dough. *Food and Bioprocess Technology*, 7, 2560–2569.
- Thaipong, K., Boonprakob, U., Crosby, K., Cisneros-Zevallos, L., & Hawkins Byrne, D. (2006). Comparison of ABTS, DPPH, FRAP, and ORAC assays for estimating antioxidant activity from guava fruit extracts. *Journal of Food Composition and Analysis*, 19, 669–675.
- Tolun, A., Altintas, Z., & Artik, N. (2016). Microencapsulation of grape polyphenols using maltodextrin and gum arabic as two alternative coating materials: Development and characterization. *Journal of Biotechnology*, 239, 23–33.
- Tran, T. T. A., & Nguyen, H. V. H. (2018). Effects of spray-drying temperatures and carriers on physical and antioxidant properties of Lemongrass leaf extract powder. *Beverages*, 4(84), 1–14.
- Turkiewicz, I. P., Wojdylo, A., Tkacz, K., Lech, K., Michalska-Ciechanowska, A., & Nowicka, P. (2020). The influence of different carrier agents and drying techniques on physical and chemical characterization of Japanese quince (*Chaenomeles japonica*) microencapsulation powder. *Food Chemistry*, 323, 126830.
- Vit, P., Santiago, B., & Pérez-Pérez, E. M. (2014). Composición química y actividad antioxidante de pulpa, hoja y semilla de guanábana *Annona muricata* L. *Interciencia*, 39(5), 350–353.

- Yu, Y., & Lv, Y. (2019). Degradation kinetic of anthocyanins from rose (*Rosa rugosa*) as prepared by microencapsulation in freeze-drying and spray-drying. *International Journal of Food Properties*, 22(1), 2009–2021.
- Zhang, R., Zhou, L., Li, J., Oliveira, H., Yang, N., Jin, W., Zhu, Z., Li, S., & He, J. (2020). Microencapsulation of anthocyanins extracted from grape skin by emulsification/internal gelation followed by spray/freeze-drying techniques: Characterization, stability and bioaccessibility. *LWT*, 109097.